

Eliminates Localized Dry Spot • Enhances Turf Quality • Reduces Watering Frequency



**Principal Functioning Agents**

52.0%...Alkylpolyglucoside, poloxalene, polydimethylsiloxane blend

**NONPLANT FOOD INGREDIENT**

**KEEP OUT OF REACH OF CHILDREN**



**WARNING**

**Hazard Statements:** Causes serious eye irritation. May cause an allergic skin reaction. Causes mild skin irritation.

**Precautionary Statements:** Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/eye/face protection. Contaminated work clothing should not be allowed out of the workplace.

**Storage and Disposal:** **Storage:** Store in a closed container. Keep container tightly closed. Store in original container only. Store in a well-ventilated place. Keep cool.

**Disposal:** Triple rinse container. Empty rinse water into spray or stock tank. Dispose of contents/container in accordance with local/national regulations.



Underhill International Corporation  
25782 Obrero, Unit C  
Mission Viejo, CA 92691  
1-949-305-7050 • www.underhill.us

**Net Contents**  
**2 x 2.5 U.S. Gallons (18.92 Liters)**  
**Underhill Item #: UHMED02**  
**Weight per Gallon at 69°F is 8.70 Lbs**

Eliminates Localized Dry Spot • Enhances Turf Quality • Reduces Watering Frequency



**Principal Functioning Agents**

52.0%...Alkylpolyglucoside, poloxalene, polydimethylsiloxane blend



**KEEP OUT OF REACH OF CHILDREN**



**WARNING**

**Hazard Statements**

Causes serious eye irritation. May cause an allergic skin reaction. Causes mild skin irritation.

**Precautionary Statements**

Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Wear protective gloves/eye/face protection. Contaminated work clothing should not be allowed out of the workplace.

**Storage and Disposal**

**Storage:** Store in a closed container. Keep container tightly closed. Store in original container only. Store in a well-ventilated place. Keep cool.

**Disposal:** Triple rinse container. Empty rinse water into spray or stock tank. Dispose of contents/container in accordance with local/national regulations.

**NONPLANT FOOD INGREDIENT**



Underhill International Corporation  
25782 Obrero, Unit C  
Mission Viejo, CA 92691  
1-949-305-7050 • www.underhill.us

**Net Contents**

**2.5 U.S. Gallons (9.48 Liters)**  
**Underhill Item #: UHMED02**  
**Weight per Gallon at 69°F is 8.70 Lbs**

•**MEDALIST**, when used in a water management program, will distribute water more uniformly through the root zone thereby eliminating localized dry spot, enhancing turf quality and reducing watering frequency.

•**MEDALIST** can be used with irrigation injection systems. It improves water use efficiency everywhere you irrigate.

•**MEDALIST** contains ingredients derived from renewable resources. This nonionic surfactant provides safe, effective treatment of highly maintained turf when used in accordance with label directions.

### First Aid

**If Swallowed:** Call a poison control center or doctor immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If eye irritation persists, call a poison control center or doctor for treatment advice.

**If on Skin or Clothing:** Take off contaminated clothing and wash before reuse. Rinse skin immediately with plenty of soap and water for 15 to 20 minutes. If skin irritation or rash occurs, call a poison control center or doctor for treatment advice/attention.

**NONPLANT FOOD INGREDIENT**

### Directions For Use—Application Guidelines

**Golf Course Greens and Tees:** As a preventative treatment, apply **MEDALIST** at a rate of 8 fluid ounces (240 ml) diluted in 1 to 3 gallons (4 to 12 litres) of water per 1,000 square feet (100 square metres) in advance of high heat stress. After 7 to 14 days following initial application, apply an additional application of 8 fluid ounces (240 ml) per 1,000 square feet (100 square metres) diluted in the same manner.

**A monthly maintenance treatment schedule can be substituted for the preventative treatment rate as follows:** Using dilution rates as indicated above; apply an initial application of 8 fluid ounces (240 ml) per 1,000 square feet (100 square metres) followed by monthly applications at a rate of 4 fluid ounces (120 ml) per 1,000 square feet (100 square metres).

Follow tank mix applications with a brief watering-in of treated turf areas to ensure that **MEDALIST** moves to the soil profile.

**Golf Course Fairways, Athletic Fields and General Turf Areas:** Apply **MEDALIST** at a rate of 32 to 48 fluid ounces (960 to 1,440 ml) diluted in 40 to 50 gallons (150 to 190 litres) of water per acre (0.5 hectare). Reapply monthly throughout the season.

**Irrigation Injection:** Monthly Program: Inject 32 to 48 fluid ounces (960 to 1,440 ml) in 40 to 50 gallons (150 to 190 litres) of water per acre (0.5 hectare) per month throughout the growing season.

**Soil Mixes and Lawn Care:** Apply 8 fluid ounces (240 ml) of **MEDALIST** diluted in 5 gallons (20 litres) of water, then apply to 1 cubic yard (0.75 cubic metres) of soil mixture or each 1,000 square feet (100 square metres) of planting area.

**Lawn Care:** Apply 4 to 8 fluid ounces (120 to 240 ml) diluted in 2 to 3 gallons (8 to 12 litres) of water applied per 1,000 square feet (100 square metres).

### Tank Mixing

Tank mix combinations containing **MEDALIST** have not been tested under all growing conditions. Applicator should follow instructions of pesticide label to determine such use. Always exercise caution when using wetting agents with other commonly used turf chemicals and fertilizers. Test a limited turf area prior to large scale applications.

Medalist is manufactured for Underhill International Corp.

Medalist is a registered trademark of, and guaranteed by, KALO, Inc. Overland Park, KS 66213

**Label Code: UHMED02B**

**120514**



#### DISCLAIMER OF WARRANTIES

Seller warrants that the chemical composition of this product conforms to the chemical description given on this label. THE COMPANY MAKES NO OTHER WARRANTIES OR REPRESENTATIONS OF ANY KIND EXPRESS OR IMPLIED CONCERNING THE PRODUCT, INCLUDING NO IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE, AND NO SUCH WARRANTY SHALL BE IMPLIED BY LAW.

Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation are beyond the control of seller. Buyer assumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. TO THE EXTENT ALLOWED BY LAW, THE COMPANY SHALL NOT BE LIABLE AND ANY AND ALL CLAIMS AGAINST THE COMPANY ARE WAIVED FOR SPECIAL, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES OR EXPENSE OF ANY NATURE, INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFITS OR INCOME.

Buyer further agrees in the event of damages arising from the use of this product to accept a replacement of the product or a refund of the purchase price of the product, at buyer's option, as full discharge of seller's liability.

No one is authorized to make any other warranty, guarantee or directions concerning this product, and no such warranties, guarantees, or directions shall be valid or binding upon seller.

**Underhill Item #: UHMED02**



**Underhill International Corporation**

25782 Obrero, Unit C  
Mission Viejo, CA 92691  
1-949-305-7050  
www.underhill.us